

## Bibliography

- [1] S. S. Hepdarcıan, R. B. N. Yılmaz, and D. Nalbantgil, "Which Orthodontic Wire and Working Sequence Should be Preferred for Alignment Phase? A Review," *Turkish J. Orthod.*, vol. 29, no. 2, pp. 47–50, 2016, doi: 10.5152/turkjorthod.2016.160009.
- [2] M. Rosen, "Mechanical Properties of Copper-Nickel-Titanium Archwires," *Master's theses*, p. 365, 2016.
- [3] M. Sumita, T. Hanawa, and I. Ohnishi, "Failure Processes in Biometallic Materials," *Compr. Struct. Integr.*, pp. 131–167, 2003.
- [4] S. R. Juvvadi, V. Kailasam, S. Padmanabhan, and A. B. Chitharanjan, "Physical, mechanical, and flexural properties of 3 orthodontic wires: An in-vitro study," *Am. J. Orthod. Dentofac. Orthop.*, vol. 138, no. 5, pp. 623–630, 2010, [Online]. Available: <http://dx.doi.org/10.1016/j.ajodo.2009.01.032>.
- [5] J. L. Proffit, W. R. Fields, H. W. Sarver, D. M., & Ackerman, "Contemporary Orthodontics Fifth Edition," 2013.
- [6] G. J. Graber, L. W., Vanarsdall, R. L., Vig, K. W., & Huang, "Orthodontics: Current Principles and Techniques, Sixth Edition," *St. Louis: Elsevier*, 2017.
- [7] R. P. Kusy, "A review of contemporary archwires: their properties and characteristics," *Angle Orthod.*, pp. 197–207.
- [8] R. S. de Biasi, A. C. O. Ruela, C. N. Elias, and O. Chevitarese, "The Influence of heat treatment in orthodontic arches made of stainless steel wire," *Mater. Res.*, vol. 3, no. 3, pp. 97–98, 2000, doi: 10.1590/s1516-14392000000300009.
- [9] M.-N. Abdallah, T. Lou, J.-M. Retrouvey, and S. Suri, *Biomaterials used in orthodontics: brackets, archwires, and clear aligners*. Elsevier Ltd, 2019.
- [10] N. Anuwongnukroh, Y. Chuankrerkkul, S. Dechkunakorn, P. Churnjitapirom, and T. Suddhasthira, "Bending properties of general purpose stainless steel wire formed for orthodontic use," *Adv. Mater. Res.*, vol. 746, no. May, pp. 394–399, 2013, doi: 10.4028/www.scientific.net/AMR.746.394.
- [11] T. RD, "Orthodontic metals-hardening and heat treatment. In : Thurow RD, editor. Edgewise orthodontics. 4th Ed," *St Louis Mosby*, 1972.
- [12] K. T. Oh, C. J. Hwang, and K. N. Kim, "Effects of heat treatment conditions on the mechanical properties of orthodontic stainless steel wires," *Mater. Trans.*, vol. 43, no. 12, pp. 3072–3077, 2002, doi: 10.2320/matertrans.43.3072.
- [13] A. F. Padilha, R. L. Plaut, and P. R. Rios, "Stainless steel heat treatment," *Steel Heat Treat. Metall. Technol.*, no. February 2018, pp. 695–739, 2006, doi: 10.1081/e-eisa-120053057.
- [14] V. R. Howes, "Oxide growth and spalling on Fe-Cr alloys studied by hot stage microscopy," *Corros. Sci.*, vol. 8, no. 10, pp. 729–736, 1968, doi: 10.1016/S0010-938X(68)80130-1.
- [15] J. R. Davis, "Tensile testing (2nd ed.). ASM International. ISBN 978-0-87170-806-9," vol. 2nd," 2004.
- [16] S. S. Wire, "Standard Specification for length g Me roved," pp. 1–5, 2014,

doi: 10.1520/A0580.

- [17] Sampath Kumar, T.S., “Physical and chemical characterization of biomaterials A2. In: Bandyopadhyay, A., Bose, S. (Eds.), *Characterization of Biomaterials*,” 2013.
- [18] S. S. Narine and A. G. Marangoni, “Microstructure,” *Fat Cryst. Networks*, pp. 179–254, 2004, doi: 10.1201/9781420046359-c10.
- [19] M. Naghizadeh and H. Mirzadeh, “Microstructural Evolutions During Annealing of Plastically Deformed AISI 304 Austenitic Stainless Steel: Martensite Reversion, Grain Refinement, Recrystallization, and Grain Growth,” *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.*, vol. 47, no. 8, pp. 4210–4216, 2016, doi: 10.1007/s11661-016-3589-1.
- [20] K. Sato *et al.*, “Plan-view characterization of intergranular precipitates on grain boundaries by combination of FIB lift out method and TEM analyses: A case study in austenitic stainless steel,” *Micron*, vol. 138, no. August, p. 102927, 2020, doi: 10.1016/j.micron.2020.102927.
- [21] G. S. Was and S. Ukai, “Austenitic stainless steels,” *Struct. Alloy. Nucl. Energy Appl.*, no. June 2015, pp. 293–347, 2019, doi: 10.1016/B978-0-12-397046-6.00008-3.

